

REAR TANDEM FENDER

PART #	WIDTH	THICK	LENGTH DIM. A
BW-94	25"	0.09"	94"
BW-100	25"	0.09"	100"
BW-112	25"	0.09"	112"



Custom length fenders, one piece fenders
From Single fenders to Tri-axle & Quad-axle



Bridge Abutments

EZ 80 Collingwood Shipyards Development



H-Bearing Piles Condo projects





Patented Steel Floor,
light weight,
strength levels greater than 70,000 lbs per sq/ft
depending on floor thickness



Patented Steel Floor
Application: sectional barge, superior strength



High Modulus




JZ 120 Shore Line Improvements
Cold Formed Sheet Piles available in six different
profiles to meet your specialized applications



P Chord
replacment to
bulb angles, one
piece, high strength
rolled and welded
section up to 3/8" thick

Waterloo Barrier®





Roll Form Group

Head Office

Suite 100 - 6701 Financial Drive, Mississauga, Ontario L5N 7J7
Tel: (905) 270-5300 · Toll Free: 1-800-233-6228 · Fax: (905) 593-3489

Manufacturing Plants

950 Industrial Road, Cambridge, Ontario N3H 4W1
Tel: (519) 650-2222 · Toll Free: 1-800-667-0447 · Fax: (519) 650-2223

26 County Road, 351, Iuka, Mississippi 38852
Tel: (662) 424-1460 · Toll Free: 1-866-285-7655 · Fax: (662) 424-0314